

GREASING
400 bar
5800 psi

BEVERAGE DISPENSING
210 - 350 bar
3000 - 5000 psi

AIR CYLINDER FILLING 6000
420 bar
6000 psi

FIRE EXTINGUISHING SYSTEMS
140 - 300 bar
2000 - 4300 psi

PAINT SPRAY & SOLVENTS
115 - 400 bar
1600 - 5800 psi

AGGRESSIVE CHEMICALS PU-FOAM
150 - 700 bar
2100 - 10000 psi

PTFE
65 - 210 bar
900 - 3000 psi

ECOLOGY SEWER CLEANING
175 - 280 bar
2500 - 4000 psi


POWER WASH
140 - 280 bar
2000 - 4000 psi

WATER DELIVERY
70 - 140 bar
1000 - 2000 psi

130 GREASING

Thermoplastic constant pressure hose for high pressure greasing applications up to 400 bar (5800 psi)

Tube termoplastico a pressione costante per ingrassatori ad alta pressione fino a 400 bar (5800 psi)



branding / marcatura

TRANSFER OIL - TO INDUSTRIAL - <PART No> - GREASING HOSE - <METRIC SIZE> - <INCH SIZE> - <DN SIZE> - WP <MP bar> bar / <MP psi> psi - BP <BP bar> bar / <BP psi> psi - MADE IN ITALY - www.transferoil.com - <BATCH No>

GREASING


part no.	hose size			ID		OD		WP		BP		safety factor	bend radius		weight		ferrule part no
	dash	inch	DN	mm	inch	mm	inch	bar	psi	bar	psi		mm	inch	g/m	lbs/ft	
130A	-	5/32	DN4	4,20	0,165	8,80	0,346	400	5800	1000	14500	2,5:1	35	1,38	60	0,040	SAA101
130B	-	5/32	DN4	4,20	0,165	10,20	0,402	400	5800	1000	14500	2,5:1	35	1,38	95	0,064	-
130C	-	5/32	DN4	4,00	0,157	8,30	0,327	400	5800	1000	14500	2,5:1	25	0,98	50	0,034	SAA101



FERRULE AND FITTINGS BOCCOLE E RACCORDI


BSP 60° FITTINGS - RACCORDI BSP 60°

SBHXXX - STRAIGHT FEMALE BSP 60° / FEMMINA DIRITTA BSP 60°




part no.	HOSE		THREAD	
	DN	Inch	F	
SBH100	4	1/8"	1/8"	28
SBH120	4	1/8"	1/4"	19
SBH121	DN5	3/16"	1/4"	19
SBH122	DN6	1/4"	1/4"	19
SBH142	DN6	1/4"	3/8"	19
SBH143	DN8	5/16"	3/8"	19
SBH144	DN10	3/8"	3/8"	19
SBH145	DN12	1/2"	3/8"	19
SBH152	DN6	1/4"	1/2"	14
SBH153	DN8	5/16"	1/2"	14
SBH154	DN10	3/8"	1/2"	14
SBH155	DN12	1/2"	1/2"	14
SBH156	DN16	5/8"	1/2"	14
SBH166	DN16	5/8"	5/8"	14
SBH177	DN20	3/4"	3/4"	14
SBH188	DN25	1"	1"	11
SBH199	DN32	1 1/4"	1 1/4"	11

SCHXXX - 90° FEMALE BSP 60° / 90° FEMMINA BSP 60°




part no.	HOSE		THREAD	
	DN	Inch	F	
SCH121	DN5	3/16"	1/4"	19
SCH122	DN6	1/4"	1/4"	19
SCH142	DN6	1/4"	3/8"	19
SCH143	DN8	5/16"	3/8"	19
SCH144	DN10	3/8"	3/8"	19
SCH145	DN12	1/2"	3/8"	19
SCH153	DN8	5/16"	1/2"	14
SCH154	DN10	3/8"	1/2"	14
SCH155	DN12	1/2"	1/2"	14
SCH156	DN16	5/8"	1/2"	14
SCH166	DN16	5/8"	5/8"	14
SCH177	DN20	3/4"	3/4"	14
SCH188	DN25	1"	1"	11
SCH199	DN32	1 1/4"	1 1/4"	11

SC1XXX - 90° COMPACT FEMALE BSP 60° / 90° FEMMINA COMPATTA BSP 60°




part no.	HOSE		THREAD	
	DN	Inch	F	
SC1122	DN6	1/4"	1/4"	19
SC1144	DN10	3/8"	3/8"	19
SC1155	DN12	1/2"	1/2"	14

SBFXXX - OR STRAIGHT FEMALE BSP 60° / OR FEMMINA DIRITTA BSP 60°




part no.	HOSE		THREAD		
	DN	Inch	F		
SBF122	DN6	1/4"	1/4"	19	7/1
SBF142	DN6	1/4"	3/8"	19	10/1
SBF144	DN10	3/8"	3/8"	19	10/1
SBF154	DN10	3/8"	1/2"	14	13/1
SBF155	DN12	1/2"	1/2"	14	13/1




BSP 60° FITTINGS - RACCORDI BSP 60°

SCSXXX - 45° FEMALE BSP 60° / 45° FEMMINA INTERA BSP 60°




part no.	HOSE		THREAD	
	DN	Inch	F	
SCS121	DN5	3/16"	1/4"	19
SCS122	DN6	1/4"	1/4"	19
SCS142	DN6	1/4"	3/8"	19
SCS143	DN8	5/16"	3/8"	19
SCS144	DN10	3/8"	3/8"	19
SCS145	DN12	1/2"	3/8"	19
SCS154	DN10	3/8"	1/2"	14
SCS155	DN12	1/2"	1/2"	14
SCS177	DN20	3/4"	3/4"	14
SCS188	DN25	1"	1"	11
SCS199	DN32	1 1/4"	1 1/4"	11

SDAXXX - PARALLEL MALE BSP 60° / MASCHIO CILINDRICO BSP 60°




part no.	HOSE		THREAD	
	DN	Inch	F	
SDA100	4	1/8"	1/8"	28
SDA120	4	1/8"	1/4"	19
SDA121	DN5	3/16"	1/4"	19
SDA122	DN6	1/4"	1/4"	19
SDA142	DN6	1/4"	3/8"	19
SDA143	DN8	5/16"	3/8"	19
SDA144	DN10	3/8"	3/8"	19
SDA145	DN12	1/2"	3/8"	19
SDA152	DN6	1/4"	1/2"	14
SDA154	DN10	3/8"	1/2"	14
SDA155	DN12	1/2"	1/2"	14
SDA166	DN16	5/8"	5/8"	14
SDA177	DN20	3/4"	3/4"	14
SDA188	DN25	1"	1"	11
SDA199	DN32	1 1/4"	1 1/4"	11

SDGXXX - CONE MALE BSP 60° (BSP TAPER) / MASCHIO CONICO BSP 60°



part no.	HOSE		THREAD	
	DN	Inch	F	
SDG121	DN5	3/16"	1/4"	19
SDG122	DN6	1/4"	1/4"	19
SDG142	DN6	1/4"	3/8"	19
SDG143	DN8	5/16"	3/8"	19
SDG144	DN10	3/8"	3/8"	19
SDG145	DN12	1/2"	3/8"	19
SDG152	DN6	1/4"	1/2"	14
SDG154	DN10	3/8"	1/2"	14
SDG155	DN12	1/2"	1/2"	14

SDEXXX - NPTF MALE / MASCHIO NPTF



part no.	HOSE		THREAD	
	DN	Inch	F	
SDE100	4	1/8"	1/8"	27
SDE120	4	1/8"	1/4"	18
SDE122	DN6	1/4"	1/4"	18
SDE144	DN10	3/8"	3/8"	18
SDE155	DN12	1/2"	1/2"	14
SDE177	DN20	3/4"	3/4"	14
SDE188	DN25	1"	1"	11 1/2
SDE199	DN32	1 1/4"	1 1/4"	11 1/2

COR-SAFE PF
HOSE PROTECTOR
PROTEZIONE PER TUBI

FERRULE / BOCCOLE

FITTINGS / RACCORDI

MICRO FITTINGS
RACCORDI MICRO

INSTALLATION FACTORS
INSTALLAZIONE